





AUSTRIA LATVIA MOROCCO  
BELGIUM LITHUANIA ARGENTINA  
CROATIA LUXEMBOURG BERMUDA  
NETHERLANDS BOLIVIA  
CZECH REPUBLIC POLAND BRASIL  
DENMARK PORTUGAL  
ESTONIA ROMANIA  
FINLAND SLOVAKIA  
FRANCE SLOVENIA  
GERMANY SPAIN CANADA  
GREECE SWEDEN CHILE  
HUNGARY SWITZERLAND COLOMBIA  
IRELAND TENERIFE COSTA RICA  
ITALY TURKEY CUBA  
RÉUNION UK DOMINICAN  
REPUBLIC

**DISTRIBUTED IN  
72 COUNTRIES  
ALL AROUND  
THE WORLD**

**MA  
IN IT  
MOTO**

**FOR  
WOR  
KID AND  
RIDI**

WORLDWIDE  
ITALY  
MOTORBIKE

THE  
WORLD'S  
ADULT  
RIDERS

ECUADOR CHINA SOUTH  
GUATEMALA HONG KONG KOREA  
FRENCH INDONESIA TAIWAN  
GUYANA JAPAN INDIA  
HAITI MACAO ISRAEL  
HONDURAS MALAYSIA KUWAIT  
MEXICO PHILIPPINES LEBANON  
NICARAGUA SINGAPORE QATAR  
PANAMA AUSTRALIA UAE  
PARAGUAY  
PERU  
PUERTO RICO  
SALVADOR  
URUGUAY  
USA  
VENEZUELA


MANY OF THEM  
DEVELOPING PROJECT  
TO INTRODUCE  
NEW RIDERS INTO  
THE MOTORCYCLE FIELD





OFFICIAL AND SOLE MOTORCYCLE  
OF THE PROJECT  
FIM MINIGP WORLD SERIES











# PART OF ROAD TO MOTOGP PROGRAM













**GP**





## L'ESPERIENZA DI OHVALE GUARDA AL FUTURO.

Dall'esperienza accumulata nel corso degli anni nelle piste, nasce OHVALE GP-2. Evoluzione di OHVALE GP-0, creata per allargare la gamma e venire in contro alle nuove esigenze dei piloti, OHVALE GP-2 è caratterizzata da un nuovo telaio più lungo dedicato, nuova ergonomia per migliorare il comfort di guida e caratteristiche tecniche evolute. Cerchi da 12 pollici, forcella anteriore con precarico di serie, stelo da 33 mm e piedini CNC, con possibilità di effettuare l'upgrade montando una forcella pluriregolabile. Dal Model Year '24 sarà equipaggiata in esclusiva con l'impianto frenante anteriore Brembo. Questo impianto frenante risulta più modulare nella frenata e il design della pinza aiuta a dissipare il calore in modo migliore. Grafiche Racing e carenatura rivista nelle dimensioni ed estetica che fanno di GP-2 una vera moto racing, adatta sia agli adulti che ai giovani piloti.

## OHVALE EXPERIENCE LOOKING AT THE FUTURE.

From the experience accumulated on the tracks, here you are OHVALE GP-2. Evolution of OHVALE GP-0, created to widen the range and meet the new needs of riders, OHVALE GP-2 is characterized by a new dedicated longer frame, new ergonomics to improve driving comfort and really innovative technical characteristics. 12-inch wheels, front fork with standard preload, 33 mm stem and CNC axle holder, with the possibility of upgrading by mounting fully adjustable fork.

From the Model Year '24 it will be equipped exclusively with the Brembo front brake system. This braking system is more modular in braking and the design of the caliper helps to dissipate heat in a better way. Racing graphics and new fairing revised in size and aesthetics give the GP-2 a true racing feeling, suitable for both adult and young riders.

SUITABLE FOR:



**MiniGP**  
190cc



# GP

190cc



Colorazione optional / Optional color

## TECHNICAL SPECS:

M.Y.  
2024

**Motore:** Daytona 190cc 4 marce, 4T

**Carburatore:** DELLORTO PHB8 28 BD (setting dedicato)

**Trasmissione:** rapporto 36/17, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile K140

**Forcelle:** upside down con steli ø33mm, piedini CNC / Upgrade forcella pluriregolabile

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. BREMBO fissaggio pinza radiale 4xø24  
-post. J.JUAN, pinza flottante 1xø25

**Cerchi:** Ohvale design ant. 2.50x12" / post. 3.00x12"

**Pneumatici:** Pirelli slick 12"

**Carenatura:** vetroresina

**Engine:** Daytona 190cc 4 marce, 4T

**Carburetor:** DELLORTO PHB8 28 BD (dedicated setting)

**Transmission:** ratio 36/17, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable K140

**Fork:** ø33mm upside down, CNC foot fork / Upgrade fork fully adjustable

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front BREMBO, radial caliper 4xø24  
-rear J.JUAN brand, floating caliper 1xø25

**Wheels:** Ohvale design front 2.50x12" / rear 3.00x12"

**Tyres:** Pirelli slick 12"

**Fairings:** fiberglass

SUITABLE FOR:



MiniGP  
190cc





# COLORAZIONI COLORS

BLACK / FLUOR YELLOW  
STANDARD COLOR



WHITE / FLUOR RED  
STANDARD COLOR



BLUE / FLUOR YELLOW  
OPTIONAL COLOR



RED / FLUOR YELLOW  
OPTIONAL COLOR



# GP

160cc



Colorazione standard / Standar colors

## TECHNICAL SPECS:

M.Y.  
2024

**Motore:** ZS 160 cc, 4 marce, 4T

**Carburatore:** DELLORTO PHBH 28 BD (setting dedicato)

**Trasmissione:** rapporto 36/16, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile K140

**Forcelle:** Forcella upside down pluriregolabile, piedini radiali

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. J.JUAN fissaggio pinza radiale 4xø25  
-post. J.JUAN, pinza flottante 1xø25

**Cerchi:** Ohvale design ant. 2.50x12" / post. 3.00x12"

**Pneumatici:** Pirelli slick 12"

**Carenatura:** vetroresina

**Engine:** ZS 160 cc, 4 Speed, 4 Stroke

**Carburetor:** DELLORTO PHBH 28 BD (dedicated setting)

**Transmission:** ratio 36/16, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable K140

**Fork:** Upside down fork fully adjustable

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front J.JUAN monoblock radial caliper 4xø25  
-rear J.JUAN brand, radial caliper 1xø25

**Wheels:** Ohvale design front 2.50x12" / rear 3.00x12"

**Tyres:** Pirelli slick 12"

**Fairings:** fiberglass



**COLORAZIONI  
COLORS**



**BLACK / FLUOR ORANGE  
STANDARD COLOR**



**BLACK / FLUOR RED  
STANDARD COLOR**

## OHVALE GP-0: PURE RACING FEELING

OHVALE GP-0 si propone come un prodotto dal DNA sportivo al 100%, una moto che grazie alle sue doti di ciclistica, ergonomia e facilità di guida, è propedeutica per i più giovani o meno esperti e perfettamente in grado di regalare adrenalina e bagarre in pista ai motociclisti esperti.

Un progetto oltre il mezzo: Ohvale ha infatti creato, con la collaborazione della rete vendita e delle federazioni nazionali, un vero e proprio campionato monomarca basato su semplici regole: moto uguale per tutti / nessuna modifica ammessa / motori sigillati. OHVALE è quindi stata scelta come fornitore esclusivo del **FIM MiniGP World Series**, la nuova piattaforma **Road to MotoGP™** di **DORNA** e **FIM**.

OHVALE GP-0: 100% Racing DNA Motorcycle. Thanks to its characteristics of ergonomics, chassis and ease of riding, OHVALE GP-0 is a suitable as an educational and training tool for youngsters or less experienced riders, for people passionate in the 2-wheel sport, and more, OHVALE GP-0 is perfectly able to give adrenaline and competitiveness of track riding to experienced riders.

A real and true project behind the vehicle: Ohvale has created, with the cooperation of its dealership network and national federations, a one mark championships based on simple rules: equal bike for everyone / no modifications admitted / sealed engines. Ohvale has so been chosen as sole and official partner of **FIM MiniGP World Series**, the new **Road to MotoGP™** platform of **DORNA** and **FIM**.







**GP10**

SUITABLE FOR:



**MiniGP**  
160cc





# 110<sup>CC</sup> AUTOMATIC EVO

## TECHNICAL SPECS:

M.Y. 2024

**Motore:** ZS 110cc Automatico, 4T

**Carburatore:** KF-PZ 19

**Trasmissione:** rapporto 32/17, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile K140

**Forcelle:** upside down con steli ø33mm taratura K6/K6

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. Formula, pinza monoblocco  
-post. Formula, fissaggio pinza radiale

**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"

**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"

**Carenatura:** vetroresina

**Engine:** ZS 110cc Automatic, 4 Stroke

**Carburetor:** KF-PZ 19

**Transmission:** ratio 32/17 Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable, setting K140

**Fork:** ø33mm upside down, setting K6/K6

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front Formula brand, monoblock radial caliper  
-rear Formula brand, radial caliper

**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"

**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"

**Fairings:** fiberglass





Colorazioni optional / Optional colors:

Evo Red

Evo Yellow



**110<sup>CC</sup>**  
**4.SPEED EVO**

TECHNICAL  
SPECS:

M.Y. 2024

**Motore:** ZS 110cc 4 marce, 4T

**Carburatore:** DELLORTO PHBL 24 (setting dedicato)

**Trasmissione:** rapporto 35/14, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile K140

**Forcelle:** upside down con steli ø33mm, piedini CNC, taratura K6/K6

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. Formula, pinza monoblocco

-post. Formula, fissaggio pinza radiale

**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"

**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"

**Carenatura:** vetroresina

**Engine:** ZS 110cc 4 speed, 4 Stroke

**Carburetor:** DELLORTO PHBL 24 (dedicated setting)

**Transmission:** ratio 35/14, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable, setting K140

**Fork:** ø33mm upside down, CNC foot fork, setting K6/K6

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front Formula brand, monoblock radial caliper

-rear Formula brand, radial caliper

**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"

**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"

**Fairings:** fiberglass





Colorazioni optional / Optional colors:

Evo Red

Evo Yellow



**160<sup>CC</sup>**  
**4.SPEED EVO**

TECHNICAL  
SPECS:

M.Y. 2024

**Motore:** ZS 160cc 4 marce, 4T

**Carburatore:** DELLORTO PHBH 28 BD (setting dedicato)

**Trasmissione:** rapporto 35/16, Regina Chain Gold Series

**Scarico:** collettori acciaio, terminale Arrow in titanio, predisposizione db killer

**Ammortizzatore:** piggy/back, setting Ohvale completamente regolabile K140

**Forcelle:** upside down con steli ø33mm, piedini CNC, taratura K6/K6

**Forcellone post.:** in alluminio

**Pedane:** regolabili

**Impianto frenante:** -ant. J.JUAN, pinza radiale, disco 190mm

-post. J.JUAN, pinza flottante

**Cerchi:** Ohvale design, ant. 2.50x10" / post. 3.00x10"

**Pneumatici:** Pirelli slick, sviluppati per Ohvale GP-0 - 10"

**Carenatura:** vetroresina

**Engine:** ZS 160cc 4 speed, 4 Stroke

**Carburetor:** DELLORTO PHBH 28 BD (dedicated setting)

**Transmission:** ratio 35/16, Regina Chain Gold Series

**Exhaust:** steel pipe, titanium Arrow silencer, ready for db killer

**Shock:** piggy/back, Ohvale setting fully adjustable K140

**Fork:** ø33mm upside down, CNC foot fork, setting K6/K6

**Rear swing:** aluminium

**Footrest:** adjustable

**Braking system:** -front J.JUAN brand, radial caliper, 190mm disc

-rear J.JUAN brand, floating caliper

**Wheels:** Ohvale design, front 2.50x10" / rear 3.00x10"

**Tyres:** Pirelli slick, developed for Ohvale GP-0 - 10"

**Fairings:** fiberglass

SUITABLE FOR:



**MiniGP**  
**160cc**



● = Optional

S = Standard

- = Not available

\* Non utilizzabile nelle attività ufficiali Ohvale  
\* Can't be used in official Ohvale sport activities, check the rule in your championship

# OPTIONAL

|  | GP-0                               |                                  |                                  | GP-2              |  |
|--|------------------------------------|----------------------------------|----------------------------------|-------------------|--|
|  | 110 <sup>CC</sup><br>AUTOMATIC EVO | 110 <sup>CC</sup><br>4 SPEED EVO | 160 <sup>CC</sup><br>4 SPEED EVO | 160 <sup>CC</sup> | 190 <sup>CC</sup>                        |
| 1. MOLLA FORCELLA K7 / K7 fork spring                        | ●                                  | ●                                | ●                                | -                 | S FORCELLA D33<br>D33 FORK               |
| 2. MOLLE FORCELLA K 5.5 - K 6.5 / Fork springs k 5.5 - k 6.5 | -                                  | -                                | -                                | ●                 | ● FORCELLA REGOLABILE<br>ADJUSTABLE FORK |
| 3. MOLLA AMMORTIZZATORE K120 / K120 rear shock spring        | ●                                  | ●                                | ●                                | ●                 | ●  |
| 4. MOLLA AMMORTIZZATORE K160 / K160 rear shock spring        | ●                                  | ●                                | ●                                | ●                 | ●  |
| 5. FORCELLA PLURIREGOLABILE / Fully adjustable fork          | -                                  | -                                | -                                | S                 | ●  |
| 6. KIT PRECARICO MOLLA / Spring preload kit                  | ●                                  | ●                                | ●                                | -                 | S FORCELLA D33<br>D33 FORK               |
| 7. LEVA CAMBIO ROVESCIAIO / Reverser shifter lever           | -                                  | S                                | S                                | S                 | S  |
| 8. KIT DB KILLER / Db killer kit                             | ●                                  | ●                                | ●                                | ●                 | ●  |
| 9. PASTIGLIE FRENO ANTERIORI SBS / SBS front brake pads      | ●                                  | ●                                | S                                | S                 | S  |
| 10. TENDICATENA RACING / Racing chain tensioner              | ●                                  | S                                | S                                | S                 | S  |
| 11. CAMBIO ELETTRONICO / Quick shifter                       | -                                  | -                                | ● *                              | ●                 | ●  |
| 12. DISCO FLOTTANTE 190 mm / Floating disk 190 mm            | ●                                  | ●                                | ●                                | -                 | -  |
| 13. DISCO 190 mm / 190 mm disk                               | ●                                  | ●                                | S                                | -                 | -  |
| 14. FRIZIONE ANTISALT. EVR/ EVR slipper clutch               | -                                  | -                                | ● *                              | ●                 | ●  |
| 15. PARALEVA FRENO ANT. / Front lever guard                  | ●                                  | ●                                | ●                                | ●                 | ●  |
| 16. CRUSCOTTO ALFANO/ Alfano Dashboard                       | ●                                  | ●                                | ●                                | ●                 | ●  |
| 17. TERMOCOPERTE / Tyre warmers                              | ●                                  | ●                                | ●                                | ●                 | ●  |
| 18. TELO COPRIMOTO / Bike cover                              | ●                                  | ●                                | ●                                | ●                 | ●  |
| 19. KIT RTGS FIM / RTGS kit for FIM                          | -                                  | ●                                | ●                                | ●                 | ●  |
| 20. CAVALLETTO ANT. / Front wheel stand                      | ●                                  | ●                                | ●                                | ●                 | ●  |
| 21. CORONA ERGAL / Ergal sprocket                            | ●                                  | ●                                | ●                                | S                 | S  |
| 22. KIT PIGNONI / Pinions kit                                | ●                                  | ●                                | ●                                | ●                 | ●  |
| 23. KIT TAMPONI PERNO RUOTA / Axle bumpers kit               | -                                  | -                                | -                                | ●                 | ●  |
| 24. GRAFICHE PERSONALIZZATE / Custom graphics                | ●                                  | ●                                | ●                                | ●                 | ●  |



1.



2.



3.



4.



9.



10.



11.



12.



17.



18.



19.



20.



Le immagini sono a solo scopo illustrativo  
the images are for illustrative purposes only



5.



6.



7.



8.



13.



14.



15.



16.



21.



22.



23.



24.





**OHVALE SRL HEADQUARTERS**

Via Luigi Scattolin, 6 - 31055 Quinto di Treviso (TV)

Tel. +39.0422.235379

[www.ohvale.com](http://www.ohvale.com) - [info@ohvale.com](mailto:info@ohvale.com)

**OHVALE SRL R&D**

Via Evangelista Torricelli 25 - 31021 Mogliano Veneto (TV)

Tel. +39.041.5903584

[www.ohvale.com](http://www.ohvale.com) - [info@ohvale.com](mailto:info@ohvale.com)

